



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, February 16, 2026** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?>

[CompanyName=Brenntag+Pacific%2C+LLC&ChemicalName=Sodium+Hydroxide&PlantState=California+CA&](http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=Brenntag+Pacific%2C+LLC&ChemicalName=Sodium+Hydroxide&PlantState=California+CA&)

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

Brenntag Pacific, LLC

10747 Patterson Place

Santa Fe Springs, CA 90670

United States

323-562-9500

[Visit this company's website](#)

([http://www.brenntag.com/north-america/en/about-](http://www.brenntag.com/north-america/en/about-brenntag/regional-capabilities/brenntag-pacific/index.jsp)

[brenntag/regional-capabilities/brenntag-](http://www.brenntag.com/north-america/en/about-brenntag/regional-capabilities/brenntag-pacific/index.jsp)

[pacific/index.jsp](http://www.brenntag.com/north-america/en/about-brenntag/regional-capabilities/brenntag-pacific/index.jsp)).

Facility : Fresno, CA

Sodium Hydroxide

Trade Designation

Caustic Soda Solution, 25%[4]

Product Function

Corrosion & Scale Control
pH Adjustment

Max Use

200mg/L

Caustic Soda Solution, 30%[4]

Corrosion & Scale Control
pH Adjustment

165mg/L

Caustic Soda Solution, 50%[4]	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 20%[4]	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide Solution, 25%[4]	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide Solution, 30%[4]	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide Solution, 50%[4]	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide, 25%[4]	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide, 30%[4]	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide, 50%[4]	Corrosion & Scale Control pH Adjustment	100mg/L

[4] Trade designation may be followed by a three digit alpha suffix to designate the chlor-alkali electrolytic cell category/grade.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Richmond, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda Solution, 50%[5]	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 20%[5]	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%[5]	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%[5]	Corrosion & Scale Control pH Adjustment	167mg/L
Sodium Hydroxide Solution, 50%[5]	Corrosion & Scale Control pH Adjustment	100mg/L

Sodium Hydroxide, 50%[5]	Corrosion & Scale Control pH Adjustment	100mg/L
--------------------------	--	---------

[5] Trade designation may be followed by a three digit alpha suffix to designate the chlor-alkali electrolytic cell category/grade.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : South Gate, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%[6]	pH Adjustment Corrosion & Scale Control	250mg/L
Sodium Hydroxide 15% Solution[6]	pH Adjustment Corrosion & Scale Control	250mg/L
Sodium Hydroxide Solution, 20%[6]	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide Solution, 25%[6]	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide Solution, 30%[6]	Corrosion & Scale Control pH Adjustment	167mg/L
Sodium Hydroxide Solution, 50%[6]	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide, 20%[6]	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide, 25%[6]	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide, 30%[6]	Corrosion & Scale Control pH Adjustment	167mg/L
Sodium Hydroxide, 50%[6]	Corrosion & Scale Control pH Adjustment	100mg/L

[6] Trade designation may be followed by a three digit alpha suffix to designate the chlor-alkali electrolytic cell category/grade.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Wilmington, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 50% ^[1]	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide Solution ^[1]	Corrosion & Scale Control pH Adjustment	100mg/L

[1] Trade designation may be followed by a three digit alpha suffix to designate the chlor-alkali electrolytic cell category/grade.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Number of matching Manufacturers is 1

Number of matching Products is 28

Processing time was 1 seconds