

46 HANFORD, CA 93230

* Certificate of Conformance - Aqua Ammonia, Reagent Grade *

Analysis	Result	Specification
Ammonia Content/ Assay	19.12%	18.5%-19.5%
Appearance	Colorless, Free from Particulate	Colorless, Free from Particulate

Sample ID: <u>1793</u> Date Tested: <u>02/16/2023</u> Tested By: <u>PV</u>

Impurities	Maximum Limit	
Reside After Ignition	0.002%	
Carbon Dioxide (CO ₂)	0.002%	
Chloride (CI)	0.5 ppm	
Phosphate (PO ₄)	2 ppm	
Total Sulfur (as SO ₄)	2 ppm	
Nitrate (NO₃)	2 ppm	
Heavy Metals (as Pb)	0.5 ppm	
Iron (Fe)	0.2 ppm	
Substance Reducing Permanganate	To Pass Test	

Customer Specific Requirements		
Impurity	Limit	
[Enter Impurity]	[Enter Limit]	

Shipment Information

Customer:	[Insert Customer Name]	Delivery Loca	tion.	Customer	Location
custoffici	_[III3CI i Custoffici Naffic]_	_ Delivery Loca	111011.	Custoffici	Location

Consignee: N/A Consignee PO: N/A

 Quantity: 6000
 Trailer #: A25
 MFG: 02/16/2023

 Lot #: 9781-021623-Q1-1793
 BOL #: 3738431
 Code #: N/A

Seal Number(s): Insert additional seal numbers here.

Specific Gravity:

Signed:	Date: <u>02/22/2023</u>
-·. I	Rev. 1.0
Title:	01/2017

The product listed herein has been tested by ASP for assay and appearance as listed under the Certificate of Analysis. Product characteristics may vary slightly depending on the source. Although the information provided is in good faith, ASP makes no guarantee, warranty, or representation as to the suitability of the product for any purpose and the user accepts full responsibility to determine the suitability of the product for its own use. ASP's liability for damages or losses resulting from failure of the product to meet the specifications listed above shall be limited to replacement of the product or refund of the purchase price at ASP's option. In no event shall ASP be liable for any special or consequential damages. Product information is subject to change.