



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, February 21, 2023** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?>

[Company Name=Brenntag+Pacific&Chemical Name=Sodium+Hydroxide&Plant State=California+CA&](http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=Brenntag+Pacific&ChemicalName=Sodium+Hydroxide&PlantState=California+CA&)

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

Brenntag Pacific, Inc.

10747 Patterson Place

Santa Fe Springs, CA 90670

United States

323-562-9500

[Visit this company's website](#)

([http://www.brenntag.com/north-america/en/about-](http://www.brenntag.com/north-america/en/about-brenntag/regional-capabilities/brenntag-pacific/index.jsp)

[brenntag/regional-capabilities/brenntag-](http://www.brenntag.com/north-america/en/about-brenntag/regional-capabilities/brenntag-pacific/index.jsp)

[pacific/index.jsp](http://www.brenntag.com/north-america/en/about-brenntag/regional-capabilities/brenntag-pacific/index.jsp)).

Facility : Fresno, CA

Sodium Hydroxide

Trade Designation

Caustic Soda Solution, 25%

Caustic Soda Solution, 30%

Product Function

Corrosion & Scale Control

pH Adjustment

Corrosion & Scale Control

pH Adjustment

Max Use

200mg/L

165mg/L

Caustic Soda Solution, 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide Solution, 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide Solution, 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide Solution, 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide, 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide, 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide, 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Richmond, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda Solution, 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	167mg/L
Sodium Hydroxide Solution, 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide, 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : South Gate, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide Solution, 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide Solution, 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide Solution, 30%	Corrosion & Scale Control pH Adjustment	167mg/L
Sodium Hydroxide Solution, 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide, 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide, 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide, 30%	Corrosion & Scale Control pH Adjustment	167mg/L
Sodium Hydroxide, 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Wilmington, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide Solution	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Number of matching Manufacturers is 1

Number of matching Products is 26

Processing time was 0 seconds

Certificate of Analysis

Sodium Hydroxide 20%

Date: 11/01/2018

Lot No.: SG-471063

Tests

Appearance:

Specific Gravity @ 20°C:

% NaOH:

Results

Clear Colorless Liquid

1.223

20.05

Approved By: Nader G. L. Louca
Nader Louca
Quality Control Chemist



Certificate of Analysis

Sodium Hydroxide 25%

Date: 02/15/2023

Lot No.: SG-611462

Tests

Appearance:
Specific Gravity @ 20°C:
% NaOH:
% Na₂O:

Results

Clear Colorless Liquid
1.276
25.16
19.50

Maximum use level 200 mg/L

Approved By: Nader G. L. Louca
Nader Louca
Quality Control Chemist

Certificate of Analysis

Sodium Hydroxide 30%

Date: 02/16/2023

Lot No.: SG-611510

Tests

Appearance:
Specific Gravity @ 20°C:
% Sodium Hydroxide:

Results

Clear Colorless Liquid
1.327
29.84

Approved By: Nader G. L. Louca
Nader Louca
Quality Control Chemist



Certified to
NSF/ANSI 60

Certificate of Analysis

Sodium Hydroxide 50% Membrane

Date: 02/22/2023

Manufacturing Date: 02/15/2023

Expiration Date: 02/15/2026

Lot No.: WMT-350376-1

<u>Tests</u>	<u>Specifications</u>	<u>Results</u>
Sodium Hydroxide (NaOH), Wt%	48.50 – 51.00	48.66 %
Total Alkalinity as Na ₂ O, Wt%	37.59 -39.52	37.70 %

	<u>Wt %</u>	<u>ppm</u>	
Sodium Carbonate (Na ₂ CO ₃), Max	0.15	1500	0.05 %
Sodium Chloride (NaCl), Max	0.01	100	17 ppm
Sodium Chlorate (NaClO ₃)	---	---	22 ppm
Sodium Sulfate (Na ₂ SO ₄), Max	0.008	80	39 ppm
Iron (Fe), Max	0.005	5.0	0.40 ppm
Specific Gravity @ 60/60 °F			1.519

Maximum use level 100 mg/L

Brenntag Pacific, Inc.
4545 Ardine Street
South Gate, CA 90280

Telephone: (323) 832-5000
Fax: (323) 773-0909

