



MT. VIEW SANITARY DISTRICT  
3800 ARTHUR ROAD  
MARTINEZ, CA 94553  
TEL 925.228.5635  
FAX 925.228.7585  
WWW.MVSD.ORG

May 24, 2023

Via email: [ian@wrenws.com](mailto:ian@wrenws.com) / [ellenp@sfei.org](mailto:ellenp@sfei.org) / [davids@sfei.org](mailto:davids@sfei.org) / [lono@bacwa.org](mailto:lono@bacwa.org)

Eileen White  
Executive Officer  
San Francisco Bay Regional Water Quality Control Board

**Re: Acceptance of Plant-Specific Findings for the Regional Evaluation of Potential Nutrient Discharge Reduction by Natural Systems**

Dear Eileen White,

On behalf of Mt. View Sanitary District, I have reviewed the Regional Evaluation of Potential Nutrient Discharge Reduction by Natural Systems (Evaluation). The Evaluation was prepared by the SFEI consulting team (Consultants) under a contract with the Bay Area Clean Water Agencies (BACWA) in compliance with the 2019 Nutrient Watershed Permit (Order No. R2-2019-0017, NPDES No. CA0038873) on behalf of the Dischargers. A representative group of BACWA members (i.e., Contract Management Group) also directed the Consultants in preparing the individual plant reports and the overall summary for the Evaluation.

Mt. View Sanitary District was contacted by the Consultants in 2021, and our facility was not recommended for inclusion in Phase 2 site-specific evaluations. My agency agrees with this recommendation for the purposes of the Evaluation, and in accordance with the Watershed Permit requirement for report certification, I certify, under penalty of law, that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Thank you,

MT. VIEW SANITARY DISTRICT

Lilia M. Corona  
General Manager

cc: [sambrose@mvsd.org](mailto:sambrose@mvsd.org)