



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday, February 21, 2024** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?Company=22370&>

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

Hill Brothers Chemical Company

3000 East Birch Street

Suite 108

Brea, CA 92821

United States

714-998-8800

Facility : Phoenix, AZ

Calcium Chloride

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
HICO Liquid Calcium Chloride	Defluoridation	200mg/L
Liquid Calcium Chloride 30-38%	Softener	
	Softener	200mg/L
	Defluoridation	

Chlorine[CL]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Chlorine Gas	Disinfection & Oxidation	30 mg/L

[CL] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations.

Ferric Chloride

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ferric Chloride 42 BE	Coagulation & Flocculation	250mg/L

Ferrous Chloride

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Ferrous Chloride	Coagulation & Flocculation	250mg/L

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Liquid Caustic Soda, 25%	pH Adjustment	200 mg/L
Liquid Caustic Soda, 30%	pH Adjustment	167 mg/L
Liquid Caustic Soda, 33%	pH Adjustment	152 mg/L
Liquid Caustic Soda, 50%	pH Adjustment	100 mg/L

Sodium Hypochlorite[HY]

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
12.5% Liquid Bleach	Disinfection & Oxidation	84mg/L
Sodium Hypochlorite - 12.5%	Disinfection & Oxidation	84mg/L
Sodium hypochlorite 5.25%	Disinfection & Oxidation	200mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

Sulfuric Acid

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sulfuric Acid 40%	Corrosion & Scale Control pH Adjustment	103mg/L
Sulfuric Acid 50%	Corrosion & Scale Control pH Adjustment	92mg/L
Sulfuric Acid 66 Baume	Corrosion & Scale Control pH Adjustment	50mg/L
Sulfuric Acid 93%	Corrosion & Scale Control pH Adjustment	50mg/L

Facility : Industry, CA

Ammonia, Anhydrous**Trade Designation**

Ammonia Gas

Product FunctionDisinfection & Oxidation
Ozone Reduction**Max Use**

5mg/L

Anhydrous Ammonia

Disinfection & Oxidation
Ozone Reduction

5mg/L

Ammonium Hydroxide**Trade Designation**

Ammonium Hydroxide 19%

Product Function

Disinfection & Oxidation

Max Use

26mg/L

Ammonium Hydroxide 20%

Disinfection & Oxidation

25mg/L

Ammonium Hydroxide 24.5%

Disinfection & Oxidation

20mg/L

Ammonium Hydroxide 29.45%

Disinfection & Oxidation

17mg/L

Aqua Ammonia 20%

Disinfection & Oxidation

25mg/L

Aqua Ammonia 24.5%

Disinfection & Oxidation

20mg/L

Aqua Ammonia 26 BE

Disinfection & Oxidation

17mg/L

Ammonium Sulfate**Trade Designation**

Ammonium Sulfate 40% Solution

Product FunctionChloramination
Disinfection & Oxidation**Max Use**

60mg/L

Liquid Ammonium Sulfate 40%

Chloramination
Disinfection & Oxidation

60mg/L

Calcium Chloride**Trade Designation**

HICO Liquid Calcium Chloride

Product FunctionDefluoridation
Softener**Max Use**

200mg/L

Liquid Calcium Chloride 30-38%

Defluoridation
Softener

200mg/L

Facility : San Jose, CA**Ammonia, Anhydrous****Trade Designation**

Ammonia Gas

Product FunctionDisinfection & Oxidation
Ozone Reduction**Max Use**

5mg/L

Anhydrous Ammonia

Disinfection & Oxidation
Ozone Reduction

5mg/L

Ammonium Hydroxide**Trade Designation****Product Function****Max Use**

Ammonium Hydroxide 19%	Disinfection & Oxidation	26 mg/L
Ammonium Hydroxide 20%	Disinfection & Oxidation	25 mg/L
Ammonium Hydroxide 24.5%	Disinfection & Oxidation	20 mg/L
Ammonium Hydroxide 29.45%	Disinfection & Oxidation	17 mg/L
Aqua Ammonia 20%	Disinfection & Oxidation	25 mg/L
Aqua Ammonia 24.5%	Disinfection & Oxidation	20 mg/L
Aqua Ammonia 26 BE	Disinfection & Oxidation	17 mg/L

Ammonium Sulfate**Trade Designation**

Ammonium Sulfate 40% Solution

Product Function

Chloramination

Max Use

60mg/L

Disinfection & Oxidation

Liquid Ammonium Sulfate 40%

Chloramination

60mg/L

Disinfection & Oxidation

Calcium Chloride**Trade Designation**

HICO Liquid Calcium Chloride 200

Product Function

Defluoridation

Max Use

200mg/L

Softener

Liquid Calcium Chloride 30-38%

Softener

200mg/L

Defluoridation

 Number of matching Manufacturers is 1

Number of matching Products is 42

Processing time was 0 seconds