

**BAY AREA CHEMICAL CONSORTIUM  
BID FORM FOR BID NO. 13-2024  
FOR SUPPLY AND DELIVERY OF SODIUM HYPOCHLORITE 12.5%**

Sealed bids must be submitted in a PDF format and bidders must enter bid prices into the electronic bid platform (Line Item page)  
<https://bacwa.org/about-bacc/>

No later than 4:00 PM. PT  
Thursday, February 22, 2024

Legal Name of Bidder:

Pioneer Americas LLC is a wholly subsidiary of Olin Corporation

Business Address

490 Stuart Road, NE

Cleveland, TN 37312

Telephone Number: (423) 336-4421

Facsimile Number: (423) 336-4682

Email Address: OWCMarketing\_BidTeam@olin.com

Authorized Representative (Please Print):

Patrick M. Schumacher, VP and President, Chlor Alkali Products

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

2/13/24

**I. All costs except California State sales tax for the purchase of SODIUM HYPOCHLORITE 12.5% must be included in the amount shown entered into the electronic bid platform (Line Item page), including any and all mill assessments, fees, excise taxes, transportation charges, etc. Any exceptions to the bid must be noted under Specific Deviations on the Standard Agreement. Bidders shall submit bids per unit of measure as specified in the electronic bid platform (Line Item page).**

**II. Bidders must submit all of the following, attached to this Bid Form:**

- a. All requirements listed in Section 2.21 Manufacturer's Info.
- b. If applicable, the name, address, and contact information for the third party hauling company as well as an affidavit signed by the Bidder that the third party hauler can and will deliver the chemical to each and every participating BACC Agency.

**III. Bidder Obligations**

By signing this Bid Form and entering into individual purchase orders, purchase agreements and /or contracts with BACC agencies, the bidder expressly agrees to be bound by all the provisions of the bid solicitation, including Sections I-IV.



490 Stuart Road, NE, Cleveland, Tennessee 37312  
Phone: 423/336-4850 • Fax: 423/336-4830  
Internet Address: [www.olinchloralkali.com](http://www.olinchloralkali.com)

### ***Affidavit of Compliance***

The Sodium Hypochlorite to be furnished under this Proposal is of the highest industry standard and complies with all bid specifications including current ANSI/AWWA Standards and NSF Standard 60.

Joy Burris  
Bleach Marketing Director  
Olin Chlor-Alkali Products and Vinyls

# CERTIFIED LABORATORY REPORT



Olin Chlor Alkali Products and Vinyls

1186 Lower River Road NE

Charleston, TN 37310

1-423-336-4000

**Product: Sodium Hypochlorite 12.5%**

**Sample ID: 231204**

**Production Facility: Olin-K2**

**Sample Date: 12/04/2023**

**Specification: BACC**

<b>Parameter</b>	<b>Analysis</b>	<b>Units</b>	<b>Specification</b>	<b>Analyst</b>
Sodium hypochlorite, NaOCl	<b>12.5</b>	wt %	12.5 min.	Olin-Charleston
Available chlorine, Cl <sub>2</sub>	<b>11.9</b>	wt %	11.9 min.	Olin-Charleston
Available chlorine, Cl <sub>2</sub>	<b>1.18</b>	lbs/gal	1.05 min.	Olin-Charleston
pH	<b>12.5</b>		12-13	Estimated
Density at 60 °F	<b>10.00</b>	lbs/gal		Olin-Charleston
Specific Gravity at 60 °F	<b>1.200</b>			Olin-Charleston
Total free alkali as NaOH	<b>0.4</b>	wt %	1.5	Olin-Charleston
Total free alkali as NaOH	<b>0.04</b>	lbs/gal		Olin-Charleston
Actual NaOH	<b>0.3</b>	wt %	1.5	Olin-Charleston
Actual NaOH	<b>0.03</b>	lbs/gal	0.1	Olin-Charleston
Sodium carbonate, Na <sub>2</sub> CO <sub>3</sub>	<b>0.1</b>	wt %		Olin-Charleston
Sodium carbonate, Na <sub>2</sub> CO <sub>3</sub>	<b>0.01</b>	lbs/gal		Olin-Charleston
Insolubles	<b>&lt; 0.15</b>	wt %	0.15	Olin-Charleston
Chlorate, ClO <sub>3</sub> <sup>-</sup>	<b>424</b>	mg/L	< 2380	Olin-Charleston
Bromate, BrO <sub>3</sub> <sup>-</sup>	<b>&lt;10</b>	mg/L	< 20	Olin-Charleston
Iron, Fe	<b>&lt; 0.1</b>	mg/L	< 1.0	Olin-Charleston
Copper, Cu	<b>&lt; 0.1</b>	mg/L	< 0.1	Olin-Charleston
Nickel, Ni	<b>&lt; 0.1</b>	mg/L	< 0.1	Olin-Charleston
Cobalt, Co	<b>&lt; 0.1</b>	mg/L	< 0.1	Olin-Charleston
Timed filtration	<b>1.39</b>	min	3.0	Olin-Charleston

(1 L through 0.8 micron at 25 mm Hg)



---

Kirk Mulligan, Ph.D., Division Quality Sr. Chemist

Olin-Charleston is an ISO certified facility

Olin-K2 Pure Solutions L.P. is an NSF certified supplier



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Friday, September 23, 2022** at 12:15 a.m. Eastern Time. Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?Company=C0619389&Standard=060&>

### NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

#### Olin DBA Chlor Alkali Products DBA Blue Cube Operations DBA KA Steel

490 Stuart Road

Cleveland, TN 37312

United States

423-336-4489

Visit this company's website (<http://www.olin.com>).

**Facility :** Pittsburg, CA

#### Hydrochloric Acid

**Trade Designation**

Hydrochloric Acid, 20 deg. Be'

Hydrochloric Acid, 22 deg. Be'

Hydrochloric Acid, Dilute

**Product Function**

Corrosion & Scale Control  
pH Adjustment

Corrosion & Scale Control  
pH Adjustment

Corrosion & Scale Control  
pH Adjustment

**Max Use**

40mg/L

40mg/L

40mg/L

#### Sodium Hydroxide

**Trade Designation**

Sodium Hydroxide, 50% Solution, Commercial  
Grade

Sodium Hydroxide, 50% Solution, Membrane

**Product Function**

Corrosion & Scale Control  
pH Adjustment

Corrosion & Scale Control

**Max Use**

100mg/L

100mg/L

Grade	pH Adjustment	
Sodium Hydroxide, Dilute	Corrosion & Scale Control	100mg/L
	pH Adjustment	

**Sodium Hypochlorite[HY]**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
L.T. Sanitizer 5.25%	Disinfection & Oxidation	200mg/L
Sodium Hypochlorite -12.5 Bacticide	Disinfection & Oxidation	84mg/L

[HY] The residual levels of chlorine (hypochlorite ion and hypochlorous acid), chlorine dioxide, chlorate ion, chloramine and disinfection by-products shall be monitored in the finished drinking water to ensure compliance to all applicable regulations. Also, reference the AWWA B300 (Hypochlorites) standard's Recommendations for the Handling and Storage of Hypochlorite Solutions appendix for information on preservation techniques for hypochlorite bleach in transit and storage.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

---

Number of matching Manufacturers is 1

Number of matching Products is 8

Processing time was 0 seconds



## Chlorine/Bleach Plant Locations

### Pittsburg, CA

(Northern & Central CA, Northern NV)

950 Loveridge Rd.

Pittsburg, CA 94565

Office: (925) 526-8112

Sales Rep: Jason Cho

Cell: (251) 895-2077

*Customer Service (orders):*

*(833) 370-3737*

*Customer Service (Email):*

[Capvcustomerservicewest@olin.com](mailto:Capvcustomerservicewest@olin.com)

### Santa Fe Springs, CA

(Southern CA)

11600 Pike Street

Santa Fe Springs, CA 90670

Plant Manager: Drew Sikkema

Office: (562) 692-0510

Sales Rep: Chuck Hogan

Cell (925) 200-8583

*Customer Service (orders):*

*(833) 370-3737*

*Customer Service (Email):*

[Capvcustomerservicewest@olin.com](mailto:Capvcustomerservicewest@olin.com)

### **Remit To Address:**

**Pioneer Americas LLC 10728**

**540 W. Madison St. 4th Floor**

**Chicago, IL 60661**

**E-remittance: [OlinRemits@olin.com](mailto:OlinRemits@olin.com)**

### Henderson, NV

(AZ, NM, NV, UT, Mexico)

350 Fourth Street

Henderson, NV 89015

Plant Manager: Gil Doucet

Office: (702) 564-0356

Sales Rep: Nick Pregman

Cell: (702) 232-5542

*Customer Service (orders):*

*(833) 370-3737*

*Customer Service (Email):*

[Capvcustomerservicewest@olin.com](mailto:Capvcustomerservicewest@olin.com)

### **Procedures For Chemical Emergencies:**

- Drivers are instructed to call 911 (First)
- Contact Chemtrec (Second)
- Contact Olin Technical Support (Third)

### **OLIN Contact For Emergencies:**

- 24 hour emergency phone number(Chemtrec): (800) 424-9300
- Charles Burgess, Tech Services (702) 564-0477 office  
(209) 207-2113 cell

# Sales Specification

12.5 wt% Sodium Hypochlorite Solution

West Coast Water Treatment Specification



Characteristics	Units	Min	Max
Sodium Hypochlorite, NaOCl	wt%	12.5	15.6
Available Chlorine	wt%	11.9	14.8
Total Alkalinity <sup>1</sup>	wt%	0.1	1.5
Chlorate (12.5% Basis) <sup>2</sup>	ppm	N/A	3,570
Bromate (12.5% Basis) <sup>2</sup>	ppm	N/A	39
Insolubles <sup>1</sup>	wt%	N/A	0.15
Iron, Fe	ppm	N/A	1.5
Nickel, Ni	ppm	N/A	0.1
Copper, Cu	ppm	N/A	0.1
Cobalt, Co	ppm	N/A	0.1
Sodium Hypochlorite, NaOCl	wt%	12.5	15.6
Available Chlorine	wt%	11.9	14.8

1 – Limit set to meet ANSI/AWWA B300-18

2 – Limit set to meet NSF/ANSI Standard 60

## Meets the Following

ANSI/AWWA B300-18

Registered EPA Pesticide

Certified for the NSF/ANSI Standard 60 at a maximum use level of 84 mg/L

## Olin Document Information

Specification No.:

NaOCl-S4

Issue Date:

12/15/2022

Sheet No.:

1 of 1



# Sales Specification

5.25% Sodium Hypochlorite Solution

Potable Water Grade



Characteristics	Units	Min	Max	Reported
Sodium Hypochlorite, NaOCl	wt%	5.25	6.60	X
Total Alkalinity as NaOH	wt%	0.1	1.5	X
Density @ 20°C	g/mL	N/A	N/A	X

## Meets the Following

Registered EPA Pesticide

Certified for the NSF/ANSI Standard 60 at a maximum use level of 200 mg/L

## Olin Document Information

Specification No:

CAP-060-S2

Issue Date:

04/28/2023

Sheet No.:

1 of 1

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

Olin Corporation (OCAP) encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

### SECTION 1. IDENTIFICATION

Product name : Sodium Hypochlorite, 5 - 17%

#### Manufacturer or supplier's details

Company name of supplier : Olin Corporation (OCAP)  
 Address : 190 Carondelet Plaza, Suite 1530  
 Clayton MO 63105  
 Telephone : (423) 336-4850  
 E-mail address : INFO@OLIN.COM  
 Local Emergency Contact : 1-800-424-9300  
 Identified uses : Disinfectant.  
 Paper bleaching agent  
 Water treatment chemicals  
 Biocidal product  
 Bleaching agents, Activators and Stabilizers  
 Textile bleaching agent

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Corrosive to Metals : Category 1  
 Skin corrosion : Category 1B  
 Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.  
 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

## Sodium Hypochlorite, 5 - 17%

Version 4.0      Revision Date: 06-14-2021      SDS Number: 10000001223      Date of last issue: 03-06-2020  
 Date of first issue: 06-14-2021

induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
 P363 Wash contaminated clothing before reuse.  
 P390 Absorb spillage to prevent material damage.

**Storage:**

P405 Store locked up.  
 P406 Store in corrosive resistant container with a resistant inner liner.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance  
 Substance name : Sodium Hypochlorite, 5 - 17%  
 CAS-No. : 7681-52-9

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Sodium hypochlorite	7681-52-9	>= 5 - <= 17
Water	7732-18-5	>= 83 - <= 95
Sodium hydroxide	1310-73-2	>= 0.1 - <= 4.5

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

If inhaled : Move person to fresh air; if effects occur, consult a physician.  
 In case of skin contact : Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Seek medical attention if symptoms occur or irritation persists. Wash clothing before reuse.  
 Suitable emergency safety shower facility should be immediately available.  
 In case of eye contact : - Wash eyes with plenty of water for 15 minutes at least. Do not forget to remove contact lenses.  
 Suitable emergency eye wash facility should be immediately available.  
 If swallowed : Do not induce vomiting. Give one cup (8 ounces or 240 ml) of

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

- water or milk if available and transport to a medical facility. Do not give anything by mouth unless the person is fully conscious.
- Most important symptoms and effects, both acute and delayed : Aside from the information found under Description of first aid measures (above) any additional important symptoms and effects are described in Section 11: Toxicology Information.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help.  
Maintain adequate ventilation and oxygenation of the patient. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist.  
If burn is present, treat as any thermal burn, after decontamination.  
Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done.  
No specific antidote.  
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.  
Repeated excessive exposure may aggravate preexisting lung disease.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : In case of fire, use water fog, foam, dry powder, carbon dioxide.
- Unsuitable extinguishing media : Do NOT use water jet.  
May spread fire.  
Dry chemical extinguishing agents may react with product; use with caution.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Further information : For safety reasons in case of fire, containers should be stored separately in closed containments.  
Do not breathe fumes.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate area.  
Only trained and properly protected personnel must be involved in clean-up operations.  
Wear suitable protective equipment.  
Keep upwind of spill.

## Sodium Hypochlorite, 5 - 17%

Version 4.0      Revision Date: 06-14-2021      SDS Number: 10000001223      Date of last issue: 03-06-2020  
 Date of first issue: 06-14-2021

Avoid breathing vapor.  
 Ventilate area of leak or spill.  
 Avoid all contact.  
 Keep people away from and upwind of spill/leak.  
 Wear suitable protective clothing.  
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Do not discharge directly to a water source. See Section 13, Disposal Considerations, for additional information.

Methods and materials for containment and cleaning up : Contain spilled material if possible. Absorb with materials such as: Vermiculite. Cover with absorbent or contain. Collect and dispose. Dike and transfer to suitable and properly labeled containers. This material is corrosive. See SECTION 8, Exposure Controls/Personal Protection, prior to handling. Soak up with inert absorbent material (e.g. sand, silica gel, polypropylene absorbent).

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Keep container closed. Do not get in eyes, on skin, or on clothing. Avoid prolonged contact with eyes, skin and clothing. Wear personal protective equipment. Use with adequate ventilation. Protect from direct exposure to sunlight. Use good general industrial hygiene practices for handling. Wash thoroughly after handling.

Conditions for safe storage : Keep container tightly closed. Store away from incompatible materials. See STABILITY AND REACTIVITY section. Store under cover in a dry, clean, cool, well ventilated place away from sunlight. Store away from oxidizing materials. Store in original vented container.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hypochlorite	7681-52-9	STEL	2 mg/m <sup>3</sup>	US WEEL
Sodium hydroxide	1310-73-2	C	2 mg/m <sup>3</sup>	ACGIH
		C	2 mg/m <sup>3</sup>	OSHA P0
		TWA	2 mg/m <sup>3</sup>	OSHA Z-1

Engineering measures : Use local exhaust ventilation, or other engineering controls to

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

**Personal protective equipment**

- Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.  
For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.
- Filter type : The following should be effective types of air-purifying respirators: Particulate filter.
- Hand protection
- Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Natural rubber ('latex'). Neoprene. Nitrile/butadiene rubber ('nitrile' or 'NBR'). Polyethylene. Ethyl vinyl alcohol laminate ('EVAL'). Polyvinyl chloride ('PVC' or 'vinyl'). Avoid gloves made of: Polyvinyl alcohol ('PVA'). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.
- Eye protection : Use chemical goggles.
- Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Reports indicate that sodium hypochlorite can react with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. Fire resistant clothing treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer for specific information about their products.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : No data available

# SAFETY DATA SHEET



## Sodium Hypochlorite, 5 - 17%

Version 4.0      Revision Date: 06-14-2021      SDS Number: 10000001223      Date of last issue: 03-06-2020  
Date of first issue: 06-14-2021

---

Odor : pungent

Odor Threshold : No data available

pH : 12 - 14 (77 °F / 25 °C)

Freezing point : -4 °F / -20 °C  
Method: Literature

Melting point/range : -4 °F / -20 °C  
Method: Literature

Pour point  
Softening point  
Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not expected to form explosive dust-air mixtures.

Flammability (liquids) : Not expected to be a static-accumulating flammable liquid.

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Vapor pressure : 12 mmHg

Relative vapor density : Not available

Relative density : 1.082 - 1.275 (68 °F / 20 °C)

Solubility(ies)  
Water solubility : completely miscible

Partition coefficient: n-octanol/water : No data available.

Autoignition temperature : Not applicable

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : No data available

Explosive properties : Not applicable

Oxidizing properties : Not applicable

**Sodium Hypochlorite, 5 - 17%**

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

Molecular weight : 74.5 g/mol  
Metal corrosion rate : Corrosive to metals

Note: These are the Reference Points for these Physical Properties listed above, unless otherwise noted in their respective Physical Property value information: Boiling Point at 760 mmHg; Evaporation Rate Butyl Acetate = 1; Relative Vapor Density Air = 1; and Relative Density Water = 1.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available  
Chemical stability : Stable under recommended storage conditions. See Storage, Section 7.  
Possibility of hazardous reactions : Polymerization will not occur.  
Stable under recommended storage conditions.  
Conditions to avoid : contact with incompatible materials  
Avoid direct sunlight or ultraviolet sources.  
Excessive heat.  
contact between acids and chlorates, a component of this product mixture, can cause the generation of chlorine gas.  
Hazardous decomposition products : Oxygen.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Eye contact  
Skin contact  
Inhalation  
Ingestion

**Acute toxicity**

Swallowing may result in burns of the mouth, throat, and gastrointestinal tract.

**Components:****Sodium hypochlorite:**

Acute oral toxicity : LD50 (Rat): 805 mg/kg  
Method: Estimated.  
Acute inhalation toxicity : LC50 (Rat): > 10.5 mg/l  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rat): > 1,000 mg/kg

**Sodium hydroxide:**

Acute oral toxicity : LD50 (Rabbit): 336 mg/kg  
Method: Estimated.

---



**Sodium Hypochlorite, 5 - 17%**

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

Acute inhalation toxicity : Remarks: The LC50 has not been determined.

Acute dermal toxicity : Remarks: The dermal LD50 has not been determined.

**Skin corrosion/irritation**

Causes severe skin burns and eye damage.

**Components:****Sodium hypochlorite:**

Result : Causes burns.  
Remarks : Brief contact may cause skin burns. Symptoms may include pain, severe local redness and tissue damage. Prolonged contact may cause severe skin burns. Symptoms may include pain, severe local redness, swelling, and tissue damage.

**Sodium hydroxide:**

Result : Causes severe burns.  
Remarks : Brief contact may cause severe skin burns. Symptoms may include pain, severe local redness and tissue damage.

**Serious eye damage/eye irritation**

Causes severe skin burns and eye damage.

**Components:****Sodium hypochlorite:**

Result : Corrosive  
Remarks : May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

**Sodium hydroxide:**

Result : Corrosive  
Remarks : May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur. Dust may irritate eyes.

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Sodium hypochlorite:**

Assessment : Does not cause skin sensitization.  
Remarks : Did not cause allergic skin reactions when tested in guinea

## Sodium Hypochlorite, 5 - 17%

Version 4.0	Revision Date: 06-14-2021	SDS Number: 10000001223	Date of last issue: 03-06-2020 Date of first issue: 06-14-2021
----------------	------------------------------	----------------------------	---

pigs.

Remarks : For respiratory sensitization:  
No relevant data found.

**Sodium hydroxide:**

Assessment : Does not cause skin sensitization.  
Remarks : Did not cause allergic skin reactions when tested in humans.

Remarks : For respiratory sensitization:  
No relevant data found.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sodium hypochlorite:**

Genotoxicity in vitro : Remarks: In vitro genetic toxicity studies were negative in some cases and positive in other cases.  
Animal genetic toxicity studies were predominantly negative.

**Sodium hydroxide:**

Genotoxicity in vitro : Remarks: In vitro genetic toxicity studies were negative.

**Carcinogenicity**

Not classified based on available information.

**Components:****Sodium hypochlorite:**

Remarks : Did not cause cancer in laboratory animals.

**Sodium hydroxide:**

Remarks : No relevant data found.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Sodium hypochlorite:**

Effects on fertility : Remarks: For similar material(s):

**Sodium Hypochlorite, 5 - 17%**

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

In animal studies, did not interfere with reproduction.  
In animal studies, did not interfere with fertility.

Effects on fetal development : Remarks: Did not cause birth defects or any other fetal effects in laboratory animals.

**Sodium hydroxide:**

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

**STOT-single exposure**

Not classified based on available information.

**Components:**

**Sodium hypochlorite:**

Assessment : Material is corrosive. Material is not classified as a respiratory irritant; however, upper respiratory tract irritation or corrosivity may be expected.

**Sodium hydroxide:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**

**Components:**

**Sodium hypochlorite:**

Remarks : Repeated exposures to dusts of this material are not anticipated to result in systemic toxicity or permanent lung injury; however, excessive exposures may cause less severe respiratory effects.

**Sodium hydroxide:**

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

**Aspiration toxicity**

Not classified based on available information.

**Components:**

**Sodium hypochlorite:**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

**Sodium hydroxide:**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Sodium hypochlorite:**

Toxicity to fish : Remarks: Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50 (Pimephales promelas (fathead minnow)): 0.22 - 0.62 mg/l

Exposure time: 96 h

Method: Method Not Specified.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

Test Type: flow-through test

Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Menidia peninsulae (tidewater silverside)): 0.04 mg/l

Exposure time: 28 d

Test Type: flow-through test

Method: Other guidelines

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 28.7 mg/l

**Sodium hydroxide:**

Toxicity to fish : Remarks: May increase pH of aquatic systems to > pH 10 which may be toxic to aquatic organisms.

**Persistence and degradability****Components:****Sodium hypochlorite:**

Biodegradability : Remarks: Biodegradability is not applicable to inorganic substances.

**Sodium hydroxide:**

Biodegradability : Remarks: Biodegradability is not applicable to inorganic substances.

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

**Bioaccumulative potential****Components:****Sodium hypochlorite:**

Partition coefficient: n-octanol/water : Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).  
Partitioning from water to n-octanol is not applicable.

**Sodium hydroxide:**

Partition coefficient: n-octanol/water : Remarks: No bioconcentration is expected because of the relatively high water solubility.

**Mobility in soil****Components:****Sodium hypochlorite:**

Distribution among environmental compartments : Remarks: No relevant data found.

**Sodium hydroxide:**

Distribution among environmental compartments : Koc: 14  
Method: Estimated.  
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

**Other adverse effects****Components:****Sodium hypochlorite:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Sodium hydroxide:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL.  
THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information.  
All disposal practices must be in compliance with all Federal,

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

State/Provincial and local laws and regulations.  
Regulations may vary in different locations.  
Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.  
**DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.**

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 1791
Proper shipping name	:	HYPOCHLORITE SOLUTION
Class	:	8
Packing group	:	II
Labels	:	8

**IATA-DGR**

UN/ID No.	:	UN 1791
Proper shipping name	:	Hypochlorite solution
Class	:	8
Packing group	:	II
Labels	:	Corrosive
Packing instruction (cargo aircraft)	:	855
Packing instruction (passenger aircraft)	:	851

**IMDG-Code**

UN number	:	UN 1791
Proper shipping name	:	HYPOCHLORITE SOLUTION (sodium hypochlorite)
Class	:	8
Packing group	:	II
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	yes
Remarks	:	Stowage category BHypochlorites

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number	:	UN 1791
Proper shipping name	:	Hypochlorite solutions
Class	:	8
Packing group	:	II
Labels	:	CORROSIVE
ERG Code	:	154
Marine pollutant	:	yes(sodium hypochlorite)

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

## Sodium Hypochlorite, 5 - 17%

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION**
**EPCRA - Emergency Planning and Community Right-to-Know****SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Corrosive to Metals  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Pennsylvania Right To Know**

Sodium hypochlorite	7681-52-9
Sodium hydroxide	1310-73-2

**California Prop. 65**

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

**International Regulations**

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

**The ingredients of this product are reported in the following inventories:**

TCSI	: All intentional components are listed on the inventory, are exempt, or are supplier certified.
TSCA	: All substances listed as active on the TSCA Inventory or are not required to be listed.
AICS	: All intentional components are listed on the inventory, are exempt, or are supplier certified.
DSL	: All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.
ENCS	: All intentional components are listed on the inventory, are exempt, or are supplier certified.
ISHL	: All intentional components are listed on the inventory, are exempt, or are supplier certified.
KECI	: All intentional components are listed on the inventory, are exempt, or are supplier certified.
PICCS	: All intentional components are listed on the inventory, are exempt, or are supplier certified.
IECSC	: All intentional components are listed on the inventory, are

# SAFETY DATA SHEET



## Sodium Hypochlorite, 5 - 17%

Version 4.0      Revision Date: 06-14-2021      SDS Number: 10000001223      Date of last issue: 03-06-2020  
Date of first issue: 06-14-2021

---

NZIoC : exempt, or are supplier certified.  
: All intentional components are listed on the inventory, are exempt, or are supplier certified.  
CH INV : All intentional components are listed on the inventory, are exempt, or are supplier certified.

### TSCA list

No substances are subject to a Significant New Use Rule.


No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
ACGIH / C : Ceiling limit  
OSHA P0 / C : Ceiling limit  
OSHA Z-1 / TWA : 8-hour time weighted average  
US WEEL / STEL : Short-Term TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



**Sodium Hypochlorite, 5 - 17%**

Version	Revision Date:	SDS Number:	Date of last issue: 03-06-2020
4.0	06-14-2021	10000001223	Date of first issue: 06-14-2021

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06-14-2021

Olin Corporation (OCAP) urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

US / Z8



## EMERGENCY RESPONSE TRAINING AND PROCEDURES

### Safety Equipment Carried On Delivery Trucks:

- Emergency Response Guide Book
- Chemical protective suit, chemical protective gloves, goggles, hard hat with face shield/chin guard, chemical protective boots, chemical protective gloves and respiratory protection (if applicable)
- Fire extinguisher
- Radio equipment/GPS

### Equipment Inspection:

- All Trailers: VIK, UC, P, L inspections per DOT regulations
- All Tractors: "A" Inspection (37 point-critical) annually per DOT regulations

### Emergency Training Received By Drivers:

- All contract carriers are to utilize drivers who are compliant and up to date with Hazmat training requirements per DOT 49 CFR 172

### Procedures For Chemical Emergencies:

- Drivers are instructed to call 911 (First, if situation warrants)
- Contact Chemtrec (Second)
- Contact OLIN (Third)

### Contact For Emergencies:

24-hr Emergency (CHEMTREC)	800-424-9300
Charles Burgess (Tech Services)	O-702-564-0477 C-209-207-2113
Drew Sikkema (Plant Mgr SFS)	O-562-692-0540
Gil Doucet (Plant Mgr Henderson)	C-702-250-8792

### EMERGENCY SPILL RESPONSE PLAN

Should a spill or incident occur while at a Customer's site, the following procedure shall be used:

- If applicable, immediately utilize the on-board spill kit to contain small spills
- Immediately report the spill/incident to National Emergency Response Center. Olin will then be notified and contact customer.
- Driver to notify the Customer at the site.
- Protect the spill site and keep all unauthorized people away and up-wind from the spill site.

### EMERGENCY RESPONSE CONTACT PHONE NUMBERS

Emergency Response Agencies (Fire, Law and Medical)	911
National Response Center	800-424-9300

### USEFUL EMERGENCY NUMBERS FOR OLIN EMPLOYEES

Dave Clayton	Office	630-243-2285
	Cell	331-625-5094
Michelle Stanislawski	Office	630-243-6010
	Cell	630-414-5417
Charlie Burgess	Cell	209-207-2113
Downers Grove Dispatch	Office	800-577-3902

Each delivery unit shall have the following Emergency Spill Control Equipment on-board:

- Complete Driver PPE as Olin specified.
- Emergency Spill Kit
- Buckets

\* The above items should be inspected on a monthly basis and immediately replaced after any use



490 Stuart Road, NE, Cleveland, Tennessee 37312  
Phone: 423/336-4850 · Fax: 423/336-4830  
Internet Address: [www.olinchloralkali.com](http://www.olinchloralkali.com)

## **Olin 3<sup>rd</sup> Party Carrier List**

Quality Carriers  
Brett Richardson  
323-351-7483

Quantix Transportation  
Alex Gil  
832-737-4959

Liquid Transport  
Jennifer Dana  
843-338-2964