Kemira Water Solutions, Inc. Affidavit of Compliance

This is to certify that the Ferrous Chloride (Kemira PIX-411) and manufactured by **Kemira Water Solutions**, **Inc.** meets or exceeds all specifications required by the Bay Area Chemical Consortium (BID No. 07-2025) and those specifications as established by the latest American Water Works Association standards. All products bid have been certified under ANSI/NSF Standard 60.

Deliveries will be made with Kemira trucks and dedicated trucks from Chemical Transfer. Chemical Transfer, Stockton, CA, Mike Ellis (800) 874-7444

Our third party haulers can and will deliver Ferrous Chloride to each and every participating BACC Agency.

I declare under penalty of perjury that the foregoing is true and correct. Executed on this day of Viving, 2025.

Kemira Water Solutions, Inc.

By:

Name: Christina Imbrogno

Commercial Support Manager

This instrument was signed and sworn to before me on _______ day of _______, 2025 by Christina Imbrogno as Commercial Support Manager of Kemira Water Solutions, Inc.

Title:

Signature of Notary Public

Print Name: Brittany Ashton Jarvis

Attach Notarial Seal:

My appointment expires:

Brittany Ashton Jarvis
Notary Public State of Kansas
My Appt Expires 23 2028

February 2024



KEMIRA PIX-411

27 - 36% Ferrous Chloride Solution

KEMIRA PIX-411

KEMIRA PIX-411 is a coagulant in liquid form based on divalent iron (Fe2+). It is primarily used for hydrogen sulfide control to reduce odor and corrosion, for phosphorus removal, control of struvite formation, as a raw material in manufacturing applications, and chlorite reduction in potable water treatment.

Certification / Approval

KEMIRA PIX-411 is NSF/ANSI Standard 60 certified for use in potable water treatment.

Product Typical Properties

Appearance	Clear greenish brown liquid
Specific Gravity	1.23- 1.44
Fe (II)	10.0 – 16.0 wt. %
FeCl ₂	22.6 - 36.4 %
Free Acid (HCI)	≤ 1.0 wt. %
Freezing	-34°C / -29°F

This TDS is a general representation of the product. Detailed product specification/analysis is available upon request.

Dosing

KEMIRA PIX-411 should be fed straight. No dilution or preparation is required. A diaphragm metering pump of non-corrosive material is suitable.

Storage

Storage tanks and piping should be constructed of suitable material such as fiberglass or cross-linked polyethylene. KEMIRA PIX-411 has a recommended shelf life of three (3) months in an appropriate storage environment. With this product the storage tank should be inspected yearly and cleaned if necessary.

Handling / Safety

The handling of any chemical requires care. Anyone responsible for using or handling of KEMIRA PIX-411 should familiarize themselves with the full saftey precautions outlined in our Safety Data Sheet.

Delivery

Shipping Instructions; Corrosive Liquid, n.o.s., 8, UN 1760, II.

Kemira makes this information available as an accommodation to its customers and it is intended to be solely a guide in customer's evaluation of the products. You must test our products, to determine if they are suitable for your intended uses and applications, as well as from the health, safety and environmental standpoint. You must also instruct your employees, agents, contractors, customers or any third party which may be exposed to the products about all applicable precautions. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. You assume full liability and responsibility for compliance with all information and precautions, and with all laws, statutes, ordinances and regulations of any governmental authority applicable to the processing, transportation, delivery, unloading, discharge, storage, handling, sale and use of each product. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. xxxxxx are trademarks or registered trademarks of Kemira Oyj or its subsidiaries.

KEMIRA OYJ

P.O.Box 330 (Energiakatu 4) FI-00101 Helsinki Finland

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

SECTION 1. IDENTIFICATION

Product name

KEMIRA PIX-411

Other means of identification

Ferrous Chloride Solution

Manufacturer or supplier's details

Company name of supplier

Kemira Water Solutions, Inc.

Address

200 Galleria Parkway, Suite 1500

Atlanta GA 30339-5979

Telephone Telefax

(770) 436-1542

E-mail address of person

(770) 436-3432

responsible for the SDS

us-customerservice@kemira.com

Emergency telephone num-

: CHEMTREC (24 Hours): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use

Flocculating agent Water treatment chemical

Restrictions on use

Do not use for other purposes than the identified uses.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

: Category 1

Acute toxicity (Oral)

Category 4

Skin corrosion

Category 2

Serious eye damage

Category 1

GHS label elements

Hazard pictograms





Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

Prevention:

P234 Keep only in original container. P264 Wash skin thoroughly after handling.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

P270 Do not eat, drink or smoke when using this product. P280 Wear eye protection and face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P302 + P310 IF ON SKIN: Immediately call a POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical attention. P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.

P363 Wash contaminated clothing before reuse.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P390 Absorb spillage to prevent material damage.

Storage:

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

May lower the pH of water and thus be harmful to aquatic organisms.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Chemical nature

Ferrous Chloride Solution

Components

Chemical name	CAS-No.	Concentration (% w/w)		
Iron dichloride	7758-94-3	>= 50 - < 80		
Hydrochloric acid	7647-01-0	>= 0.1 - <= 1		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice

Show this safety data sheet to the doctor in attendance.

If inhaled

: If breathed in, move person into fresh air.

If symptoms persist, seek medical advice.

In case of skin contact

Take off contaminated clothing and shoes immediately.

Rinse with plenty of water.

If symptoms persist, seek medical advice.

In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

2/19

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Prevent rinsing water from flowing into the other eye.

Call a physician immediately.

Continue rinsing eyes during transport to hospital.

If swallowed Rinse mouth with water.

Do NOT induce vomiting.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

Causes serious eye damage. Causes skin irritation.

Effects are immediate or delayed.

Symptoms may include:

Central nervous system depression

Headache Nausea Dizziness Blistering Irritation Burn Pain Redness Rash

Protection of first-aiders

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this

product may have occurred. Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Not combustible.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

No special requirements.

Specific hazards during fire-

fighting

Heating above the decomposition temperature can cause

formation of hydrogen chloride.

Exposure to decomposition products may be a hazard to

health.

Do not allow run-off from fire fighting to enter drains or water

courses.

Collect contaminated fire extinguishing water separately. This Further information

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Exposure to decomposition products may be a hazard to

health.

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

 Version
 Revision Date:
 Date of last issue: 05/16/2023

 1.9
 05/10/2024
 Date of first issue: 02/11/2015

Personal precautions, protec-

tive equipment and emergency procedures

Use personal protective equipment.

Wear respiratory protection. Ensure adequate ventilation.

Environmental precautions

Do not allow uncontrolled discharge of product into the envi-

ronment.

Methods and materials for containment and cleaning up

Clean-up methods - small spillage

Dilute residues with water and then neutralize with lime or

limestone powder to a solid consistency.

Shovel or sweep up.

Must be disposed of in accordance with local and national

regulations.

Clean-up methods - large spillage

Remove spill using a vacuum truck.

Dilute residues with water and then neutralize with lime or

limestone powder to a solid consistency. Shovel or sweep up remaining material.

Must be disposed of in accordance with local and national

regulations.

SECTION 7. HANDLING AND STORAGE

Technical measures : Install appropriate equipment and wear appropriate personal

protective equipment (see "8. Exposure control/personal pro-

tection").

Advice on safe handling For personal protection see section 8.

The work place and work methods shall be organized in such a way that direct contact with the product is prevented or min-

imized.

Keep away from incompatible materials.

Contact with certain metals, e.g. aluminium and zinc, may form hydrogen gas, which in turn may form explosive mixtures

of gases with air.

For quality reasons:

Keep at temperatures above 0 °C. Keep at temperatures below 30 °C.

Packaging material : Suitable material: plastic (PE, PP, PVC), fiberglass-reinforced

polyester, rubber-coated steel

Unsuitable material: Avoid contact with unalloyed steel or galvanized surfaces., many metals, stainless steel (AISI 304), Nylon, materials not resistant to acid, Copper, Aluminium,

Iron, Zinc, brass, titanium

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron dichloride	7758-94-3	TWA	1 mg/m3 (Iron)	ACGIH
		TWA	1 mg/m3 (Iron)	OSHA P0
		TWA	1 mg/m3 (Iron)	NIOSH REL
		TWA	1 mg/m3 (Iron)	ACGIH
		TWA	1 mg/m3 (Iron)	NIOSH REL
		TWA	1 mg/m3 (Iron)	OSHA P0
Hydrochloric acid	7647-01-0	С	2 ppm	ACGIH
		С	5 ppm 7 mg/m3	NIOSH REL
		С	5 ppm 7 mg/m3	OSHA Z-1
		С	5 ppm 7 mg/m3	OSHA P0

Engineering measures

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection

Respiratory protection is not required under normal handling

conditions.

Hand protection

Remarks

Eye protection

Chemical resistant gloves.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be removed and replaced immediately if there is any indication of

degradation or chemical breakthrough. Wear eye protection/ face protection.

Skin and body protection

Tightly fitting safety goggles or face-shield. Wear protective clothing if necessary.

Use rubber boots.

Protective measures

Eye wash bottle or emergency eye-wash fountain must be

found in the work place.

Ensure adequate ventilation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety

practice.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version Revision Date: 1.9 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Aqueous solution

Colour : light green/brown

Odour : slightly acidic

Odour Threshold : No data available

pH : < 1

Melting point/freezing point : -29 °F / -34 °C

Boiling point/boiling range : ca. 220 - 230 °F / 104 - 110 °C

Flash point : Not applicable inorganic compound

Evaporation rate : similar to water

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : similar to water

Relative vapour density : similar to water

Relative density : No data available

Density : 1.23 - 1.44 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : miscible

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : > 212 °F / > 100 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Surface tension

No data available

Particle characteristics

Assessment

Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Corrosive to metals.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reac-

Bases cause exothermic reactions.

ions

Contact with certain metals may form hydrogen gas, which in

turn may form explosive mixtures of gases with air.

Conditions to avoid Incompatible materials

Stable under normal conditions.

Metals

Bases

Alkaline materials Oxidizing agents Reducing agents sulphites

Sulphides

Hazardous decomposition products

Heating above the decomposition temperature can cause

formation of hydrogen chloride.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity

Acute toxicity estimate: 1,516 mg/kg

Method: Calculation method

Components:

Iron dichloride:

Acute oral toxicity

: LD50 (Rat): 220 mg/kg

Method: OECD Test Guideline 423 Remarks: Calculated as Fe

Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity

No observed adverse effect level: 1.1 mg/l

Method: EPA OPP 81-3

Acute dermal toxicity

LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

LD50 (Rat): > 881 mg/kg

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9 Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Method: OECD Test Guideline 402

Remarks: Calculated as Fe

Hydrochloric acid:

Acute inhalation toxicity

LC50 (Rat): 4701 ppm Exposure time: 30 min Test atmosphere: gas

Remarks: gas

LC50 (Rat): 8.3 mg/l Exposure time: 30 min Test atmosphere: aerosol

Remarks: aerosol

Acute dermal toxicity

Remarks: No data available

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks Causes skin irritation,

Components:

Iron dichloride:

Species Rabbit

Method : OECD Test Guideline 404
Result : No irritating effects.

Hydrochloric acid:

Species EPISKIN Human Skin Model Test

Exposure time 1 h

Method © OECD Test Guideline 431

Result : Corrosive GLP : yes

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : Causes serious eye damage.

Components:

Iron dichloride:

Species : Rabbi

Result : Causes serious eye damage.
Method : OECD Test Guideline 405

GLP : yes

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9 Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Remarks

Read-across (Analogy)

7758-94-3 dry substance

Hydrochloric acid:

Species Rabbit

Result : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Test substance : yes

Remarks 0,1 ml, conc. 10 %

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : May cause an allergic skin reaction.

Components:

Iron dichloride:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Not sensitizing.
Test substance : ferrous sulfate

Hydrochloric acid:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : Not sensitizing.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Remarks: Based on available data, the classification criteria

are not met.

Components:

Iron dichloride:

Genotoxicity in vitro Test Type: reverse mutation assay

Test system: Salmonella typhimurium (bacterium)

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Metabolic activation: with and without Method: OECD Test Guideline 471

Result: negative

Test substance: ferrous chloride

Hydrochloric acid:

Genotoxicity in vitro

Test Type: In vitro mitotic recombination Test system: Saccharomyces cerevisiae Metabolic activation: with and without

Result: negative

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks

Based on available data, the classification criteria are not met.

Components:

Iron dichloride:

Species

: Rat : Oral

Application Route Exposure time

2 years > 0.5 %

NOAEL Test substance

ferric chloride

Hydrochloric acid:

Species

Rat

Application Route

Inhalation 15 mg/m³

Method

: OECD Test Guideline 451

IARC

No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility

Remarks: Based on available data, the classification criteria

are not met.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

 Version
 Revision Date:
 Date of last issue: 05/16/2023

 1,9
 05/10/2024
 Date of first issue: 02/11/2015

Components:

Iron dichloride:

Effects on fertility Test Type: Reproductive effects

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 500 mg/kg bw/day

Method: OECD Test Guideline 422

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: > 1,000 mg/kg bw/day

Method: OECD Test Guideline 422

Result: Did not show teratogenic effects in animal experi-

ments.

Hydrochloric acid:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified due to lack of data.

Product:

Remarks : Based on available data, the classification criteria are not met.

Components:

Hydrochloric acid:

Assessment May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data:

Product:

Remarks : Based on available data, the classification criteria are not met.

Components:

Hydrochloric acid:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Components:

Hydrochloric acid:

No aspiration toxicity classification

Experience with human exposure

Product:

Inhalation

Symptoms: Inhalation may provoke the following symptoms:,

cough and difficulties in breathing

Skin contact

Symptoms: Skin contact may provoke the following symp-

toms:, irritation, burns

Eye contact

Symptoms: Causes burns., Contact with eyes causes a smart-

ing pain and a flood of tears.

Ingestion

Symptoms: Ingestion may provoke the following symptoms:, burns in upper digestive organs, May cause irritation of the

mucous membranes.

Further information

Product:

Remarks

The product is classified as corrosive due to the low pH.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: This material is not classified as dangerous for the

environment.

The compound is considered to have no long term effects in aquatic systems due to the rapid formation of insoluble hy-

droxides.

Components:

Iron dichloride:

Toxicity to fish

LC50 (Oryzias latipes (Japanese rice fish)): 47 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

NOEC (Oncorhynchus kisutch (Coho salmon)): > 1 mg/l

Exposure time: 90 d

Test substance: Read-across (Analogy)

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 19 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Toxicity to algae/aquatic

plants

IC50 (Pseudokirchneriella subcapitata (green algae)): 6.9 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Hydrochloric acid:

Toxicity to fish

LC50 (Lepomis macrochirus (Bluegill sunfish)): 20.5 mg/l

Exposure time: 96 h Test Type: semi-static test

GLP: no

Remarks: fresh water

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.45 mg/l

Exposure time: 48 h
Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 0.73 mg/l

Test Type: static test

Method: OECD Test Guideline 201

Remarks: Fresh water

Persistence and degradability

Product:

Biodegradability

Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

Components:

Iron dichloride:

Biodegradability

Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

Hydrochloric acid:

Biodegradability

Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Bioaccumulative potential

Components:

Iron dichloride:

Partition coefficient: n-octanol/water

Remarks: Not applicable inorganic compound

Hydrochloric acid:

Partition coefficient: n-octanol/water

Remarks: Not applicable inorganic compound

Mobility in soil
No data available

Other adverse effects

Product:
Ozone-Depletion Potential

: Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

May lower the pH of water and thus be harmful to aquatic

organisms.

Components:

Hydrochloric acid:

Results of PBT and vPvB

assessment

This substance is not considered to be a PBT (Persistent, Bioaccumulation, Toxic) This substance is not considered to

be vPvB (very Persistent nor very Bioaccumulating)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of in compliance with local and national regulations.

Contaminated packaging

Must be disposed of in accordance with local and national

regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

IATA-DGR

UN/ID No.

UN 1760

Proper shipping name

Corrosive liquid, n.o.s.

(Ferrous chloride)

Class

Packing group

8 I

Labels

Packing instruction (cargo

Corrosive

855

aircraft)

IMDG-Code

UN number

UN 1760

Proper shipping name

CORROSIVE LIQUID, N.O.S.

(Ferrous chloride)

Class Packing group Labels

8 Ш 8 F-A, S-B

EmS Code Marine pollutant

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number

UN 1760

Proper shipping name

Corrosive liquids, n.o.s.

(Ferrous chloride)

Class

8

Packing group

Ш

Labels

CORROSIVE

ERG Code Marine pollutant 154 no

Special precautions for user

Remarks

Corrosive in contact with metals, Metal containers must be

lined.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Iron dichloride	7758-94-3	100	305

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards

: Corrosive to metals

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

> >= 50 - < 80 % Iron dichloride 7758-94-3 Hydrochloric acid 7647-01-0 >= 0.1 - < 1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

>= 50 - < 80 % Iron dichloride 7758-94-3 Hydrochloric acid 7647-01-0 >= 0.1 - < 1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

This product does not contain any priority pollutants related to the U.S. Clean Water Act

California Prop. 65

WARNING: This product can expose you to chemicals including Benzene, iron bis(arsenate), Nickel dichloride, lead dichloride, which is/are known to the State of California to cause cancer,

Benzene, mercury dichloride, Nickel dichloride, lead dichloride, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

TSCA All components of this product are included in the United States TSCA Chemical Inventory with Active Status or are not required to be listed on the United States TSCA Chemical Inventory.

DSL All components of this product are included in the Canada

Domestic Substance List (DSL) or are not required to be listed

on the Canada Domestic Substance List (DSL).

All components of this product are NOT included on the Aus-AIIC

tralian Inventory of Industrial Chemicals (AIIC).

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version Revision Date: Date of last issue: 05/16/2023 05/10/2024 1.9 Date of first issue: 02/11/2015 **IECSC** All components of this product are NOT included on the Chinese inventory. **EINECS** All components of this product are NOT included on the European Inventory of Existing Chemical Substance (EINECS) **ENCS** All components of this product are NOT included on the Japanese (ENCS) inventory. KECI All components of this product are NOT included on the Korean (ECL) inventory. All components of this product are NOT included on the New **NZIoC** Zealand Inventory of Chemical Substances. All components of this product are NOT included on the Phil-**PICCS** ippine (PICCS) inventory. All components of this product are NOT included on the Tai-**TCSI**

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:

wan Chemical Substances Inventory.



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version Revision Date: Date of last issue: 05/16/2023 1.9 Date of first issue: 02/11/2015

OSHA Z-1 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA 8-hour, time-weighted average

ACGIH / C E Ceiling limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / C Ceiling value not be exceeded at any time.

OSHA P0 / TWA 8-hour time weighted average

OSHA P0 / C : Ceiling limit
OSHA Z-1 / C : Ceiling

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Relevant changes have been marked with vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This SDS is prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the ANSI SDS Standard (Z400.1) by Kemira.

according to the OSHA Hazard Communication Standard



KEMIRA PIX-411

Version 1.9

Revision Date: 05/10/2024

Date of last issue: 05/16/2023 Date of first issue: 02/11/2015

Sources of key data used to

compile the Safety Data

Sheet

Revision Date

Regulations, databases, literature, own tests.

05/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



The Americas Quality Lab Analytical Report

To: Tina Imbrogno

Tina.Imbrogno@kemira.com

Date Reported: 1/30/2025

Sample Description: PIX-411 Ferrous Chloride

Sample Date: 7/18/2024 Sample ID: 1016240101

Parameter	Result	Unit	Method	Reporting Limit		Analyst	Date
Ferrous	15.46	%	KWS QL 3312	0.05	%	NH	8/14/24
Ferrous Chloride	35.09	%	KWS QL 3312	0.11	%	NH	8/14/24
Free Acid as HCl	<0.05	%	KWS QL 3210	0.05	%	MK	8/28/24
Specific Gravity	1.396		KWS QL 3112			MK	8/14/24
Insoluble Solids	<0.005	%	KWS QL 3410	0.005	%	SB	1/28/25
Sulfur as Sulfate	0.013	%	KWSQL 3513	0.001	%	CP	9/24/24

Certified by: Shill S. amour

Sheila St. Amour, Laboratory Supervisor





The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday**, **February 17**, **2025** at 12:15 a.m. Eastern Time. Please <u>contact NSF</u> to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

http://info.nsf.org/Certified/PwsChemicals/Listings.asp?

CompanyName=kemira+water&TradeName=pix%2D411&

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

Kemira Water Solutions, Inc.

1000 Parkwood Circle
Suite 500
Atlanta, GA 30334
United States
888-KEMIRON
863-533-5990
Visit this company's website (http://www.kemira.com)

Facility: #3 Canada

Ferrous Chloride

Trade Designation
KEMIRA PIX-411

Product Function

Max Use

Coagulation & Flocculation

300mg/L

[1] These products are designed to be flushed our prior to using the system for drinking water. Before being places into service, the well is to be properly flushed according to the manufacturer's use instructions. Certification of these products is based on the well

drilling model with the following assumptions:

- The amount of well drilling fluid used 3780 L (1000 U.S. gallons) to which the drilling fluid has been added at the manufacturer's recommended level.
- The aquifer contains 3.1 million liters of water (815,000 gallons) based on a 0.5

acre aquifer of 6.1 meter depth (20 ft.) and 25% porosity.

- The bore hole is 61 meters in total depth (200 ft.), the screen is 6.1 meters in length (20 ft.), and the bore hole is 25.4 cm in diameter (10 in.).
- The amount of well drilling fluid removed from the well during construction is equal to the combined volumes of the casing and the screen, plus an additional amount removed through the well disinfection and development (90% removed)
- This product should not be used in constructing wells in highly porous formations, such as cavernous limestone.

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: # 4 A USA

Ferrous Chloride

Trade DesignationProduct FunctionMax UseKEMIRA PIX-411Dechlorination300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Distribution Center - Buckeye, AZ

Ferrous Chloride

Trade DesignationProduct FunctionMax UseKEMIRA PIX-411Coagulation & Flocculation300mg/LKEMIRA PIX-411Coagulation & Flocculation250mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Fontana, CA

Ferrous Chloride

Trade DesignationProduct FunctionMax UseKEMIRA PIX-411Coagulation & Flocculation300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Mojave, CA

Ferrous Chloride

Trade Designation

KEMIRA PIX-411

KEMIRA PIX-411H

Product Function

Max Use

Coagulation & Flocculation

300mg/L

Coagulation & Flocculation

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: East Chicago, IN

Ferrous Chloride

Trade Designation

Product Function

Max Use

KEMIRA PIX-411

Coagulation & Flocculation

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Baltimore, MD

Ferrous Chloride

Trade Designation

Product Function

Max Use

KEMIRA PIX-411

Coagulation & Flocculation

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Distribution Center - Euclid, OH

Ferrous Chloride

Trade Designation

Product Function

Max Use

KEMIRA PIX-411

Coagulation & Flocculation

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Distribution Center - El Paso, TX

Ferrous Chloride

 ${\it Trade\ Designation}$

Product Function

Max Use

KEMIRA PIX-411

Coagulation & Flocculation

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Kalama, WA

Ferrous Chloride

Trade Designation

Product Function

Max Use

KEMIRA PIX-411

Coagulation & Flocculation

300 mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Facility: Varennes, Quebec, Canada

Ferrous Chloride

Trade Designation

Product Function

Max Use

KEMIRA PIX-411

Coagulation & Flocculation

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

Number of matching Manufacturers is 1

Number of matching Products is 13

Processing time was o seconds