



BACWA Recycled Water Program Survey

Please respond by January 5, 2026

* Required

PART 1. BASIC INFORMATION

1

Agency Name *

2

Contact Name

3

Agency Contact Email Address *

Please enter an email

4

Do you operate under the Statewide General Order (WQO 2016-0068-DDW), or an agency-specific order? (If other, please list the Order number, eg., 92-064) *

☐ Statewide General Order WQO 2016-0068-DDW

☐ Other

PART 2. USER SELF-MONITORING

This section asks about inspections that are performed by the customer or site supervisor. Your agency's inspections will be covered in Section 4.

5

What **user self-monitoring frequency** does your agency require for these user types? This is for inspections performed by the customer or site supervisor. Please specify the observation frequency, not the reporting frequency.

	N/A	Monthly	Quarterly	Annually	Other
Parks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Schools	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Golf Courses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Commercial Landscape Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Agricultural Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Streetscapes / Medians	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Residential Common Area Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Toilet Flushing /Dual Plumbed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cooling Towers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Construction Sites	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

6

Please describe any "Other" responses above.

7

What format does your agency use for **self-monitoring inspection reports**?

- ☐ **App.** Users fill out a form through an app installed on a phone or tablet
- ☐ **Online Form.** Users fill out an online form through a web portal
- ☐ **Email.** Users provide an electronic file (e.g., Word or PDF file) via email to my agency
- ☐ **Paper.** Users fill out hard copy paperwork

8

How does your agency respond if a user Self-Monitoring Report is not submitted by the due date?

- ☐ My agency does not respond
- ☐ Send a Notice of Violation
- ☐ Shut off recycled water service
- ☐ Other

PART 3. TRAINING

9

Does your agency offer training for recycled water users?

☐ Yes

☐ No

10

How often are training sessions **offered**? (e.g., 1/quarter, 1/year, as-needed)

11

If training sessions are mandatory, how often must users attend a training session? (e.g., 1/year, 1/5 years, etc.)

12

How are training sessions conducted? (Select all that apply)

- ☐ One-on-one session / individual users
- ☐ Group Sessions / Multiple users
- ☐ Virtual
- ☐ In-Person
- ☐ BACWA training videos (<https://www.youtube.com/watch?v=WWysu6Xn8dU>)
- ☐ Other pre-recorded videos
- ☐ Live training
- ☐ Other

13

How long is a typical training session? (hours)

The value must be a number

Does your agency enforce training program requirements?

- ☐ No, we do not perform enforcement
- ☐ Yes, Send a Notice of Violation
- ☐ Yes, Shut off recycled water service
- ☐ Other

PART 4. AGENCY INSPECTIONS

This section asks about inspections for which **your agency (the recycled water program administrator)** is responsible. Self-inspections by users (customers or site supervisors) were covered in Section 2.

15

What inspection frequency does **your agency** use for each of these user types?

[illegible]

Please describe any "Other" responses above.

PART 5. IRRIGATION

17

Does your agency serve **irrigation** customers? *

☐ Yes

☐ No

18

Approximately **how many** irrigation use sites does your agency serve?

The value must be a number

19

Do you require a user representative to be onsite during inspections of **irrigation** use sites?

☐ Yes

☐ No

20

Who performs agency inspections of irrigation use sites? (select all that apply)

- ☐ My agency staff only
- ☐ Staff from a different agency
- ☐ A private contractor acting as a third party agent

21

When you conduct a site inspection for an **irrigation** use site, do you require that the irrigation system be turned on?

- ☐ Yes, **all** irrigation stations must be turned on
- ☐ Yes, part of the system must be turned on
- ☐ No, not required
- ☐ Other

22

On average, how long does it take to complete an inspection for each irrigation use site? (Hours)

The value must be a number

23

During site inspections, do you conduct a **one-sided cross-connection test**?

☐ Yes

☐ No

24

After the initial cross-connection test for each irrigation use site, how often do you conduct a **full cross-connection test**?

☐ Only if there is a need

☐ Once per 4 years (1x / 4 years)

☐ Once per year (Annually)

☐ Other

Table 4 of the Statewide General Order (WQO 2016-0068-DDW) Monitoring and Reporting Program requires an "Application Rate" (inches/acre/year). How does your agency meet this requirement? (if applicable)

Table 4: Use Area Monitoring and Reporting Requirements

Parameter	Units	Sample Type	Sampling Frequency ^(a)	Reporting Frequency
Recycled Water User	--	--	--	Annually
Recycled Water Flow	gpd ^(b)	Meter ^(c)	Monthly	Annually
Acreage Applied ^(d)	Acres	Calculated	--	Annually
Application Rate	inches/acre/year	Calculated	--	Annually
Soil Saturation/Ponding	--	Observation	Quarterly	Annually
Nuisance Odors/Vectors	--	Observation	Quarterly	Annually
Discharge Off-Site	--	Observation	Quarterly	Annually
Notification Signs ^(e)	--	Observation	Quarterly	Annually

^(a) Or less frequently if approved by the Regional Water Board Executive Officer

^(b) gpd denotes gallons per day.

^(c) Meter denotes meter reading, a pump run time meter, or other approved method.

^(d) Acreage applied denotes the acreage to which recycled water is applied.

^(e) Notification signs shall be consistent with the requirements of 22 CCR section 60310(g).

PART 6. DUAL PLUMBED USERS

26

Does your agency serve **dual-plumbed** use sites?

☐ Yes

☐ No

27

Approximately **how many** dual-plumbed use sites does your agency serve?

The value must be a number

28

How often do you perform a **cross-connection inspection** for each dual-plumbed use site?

29

How often do you perform a **cross-connection test** for each dual-plumbed use site?

PART 7. HYDRANT USERS

30

Does your agency serve **hydrant users** for temporary uses such as construction?

☐ Yes

☐ No

31

Approximately how many **hydrant users** (for temporary uses such as construction) does your agency serve?

The value must be a number

32

Do you provide training to hydrant / construction users?

☐ Yes

☐ No

Which inspections, if any, do you conduct for hydrant / construction users?

- ☐ None
- ☐ Hydrant or meter connections
- ☐ Truck signage
- ☐ Use areas
- ☐ Other

PART 8. COMMERCIAL FILL STATIONS

34

Does your agency serve **commercial fill station** users?

☐ Yes

☐ No

35

Do you issue permits to commercial fill station users?

☐ Yes

☐ No

36

Is your fill station located with a secure area (such as a treatment facility), requiring gate access?

☐ Yes

☐ No

37

When can commercial fill stations users access the fill station?

- ☐ 24-hour access
- ☐ Business hours only

38

Do you provide training to commercial fill station users?

- ☐ Yes
- ☐ No

39

Which inspections, if any, do you conduct for fill station users?

- ☐ None
- ☐ Hydrant or meter connections
- ☐ Truck signage
- ☐ Use areas
- ☐ Other

This content is neither created nor endorsed by Microsoft. The data you submit will be sent to the form owner.