

**BAY AREA CHEMICAL CONSORTIUM  
BID FORM FOR BID NO. 07-2026  
FOR SUPPLY AND DELIVERY OF FERROUS CHLORIDE**

Sealed bids must be submitted in a PDF format and bidders must enter bid prices into the electronic bid platform (Line Item page)  
<https://bacwa.org/about-bacc/>

No later than 4:00 PM. PT  
Thursday, February 19, 2026

Legal Name of Bidder:

Kemira Water Solutions, Inc.

Business Address

4321 W. 6th St.  
Lawrence, KS 66049

Telephone Number: (785) 842-7424

Facsimile Number: (785) 842-2629

Email Address: kwsna.bids@kemira.com

Authorized Representative (Please Print):

Christina M. Imbrogno

Signature: 

Date: 2/17/2026

**I. All costs except California State sales tax and tariffs for the purchase of FERROUS CHLORIDE must be included in the amount shown entered into the electronic bid platform (Line Item page), including any and all mill assessments, fees, excise taxes, transportation charges, etc. Any exceptions to the bid must be noted under Specific Deviations on the Standard Agreement. Bidders shall submit bids per unit of measure as specified in the electronic bid platform (Line Item page).**

**II. Bidders must submit all of the following, attached to this Bid Form:**

- a. All requirements listed in Section 2.21 Manufacturer's Info.
- b. If applicable, the name, address, and contact information for the third party hauling company as well as an affidavit signed by the Bidder that the third party hauler can and will deliver the chemical to each and every participating BACC Agency.

**III. Bidder Obligations**

By signing this Bid Form and entering into individual purchase orders, purchase agreements and /or contracts with BACC agencies, the bidder expressly agrees to be bound by all the provisions of the bid solicitation, including Sections I-IV.

**BAY AREA CHEMICAL CONSORTIUM**  
**Worksheet**  
**BID NO. 07-2026**  
**FERROUS CHLORIDE**

*Refer to paragraph 2.4 Bid Pricing for full details.*

*Bidders shall submit bids in US\$ per unit of measure indicated on this bid form, FOB Destination.  
Bid prices shall be based on bulk deliveries of 1 ton or more. Bidders must submit their Bid Prices via electronic bid platform - Line Items section. Do not submit Worksheet.*

	Unit of Measure	Bid Price per Unit of Measure
<b>Ferrous Chloride</b>		
<u>Central Valley</u> City of Stockton	dry ton	\$ <input type="text"/>
<u>East Bay</u> Union Sanitary District	dry ton	\$ <input type="text"/>
<u>North Bay</u> Delta Diablo Sanitation District	dry ton	\$ <input type="text"/>
<u>Peninsula</u> City of Daly City/North San Mateo County Sanitation District	dry ton	\$ <input type="text"/>
<u>South Bay</u> City of San Jose	dry ton	\$ <input type="text"/>
<u>Tri Valley</u> Dublin San Ramon Services District	dry ton	\$ <input type="text"/>

**DO NOT SUBMIT WORKSHEET  
ENTER BID PRICES VIA ELECTRONIC BID PLATFORM**

State of Kansas  
County of Douglas

### Kemira Water Solutions, Inc. Affidavit of Compliance

This is to certify that the Ferrous Chloride (Kemira PIX-411) and manufactured by **Kemira Water Solutions, Inc.** meets or exceeds all specifications required by the Bay Area Chemical Consortium (BID No. 07-2025) and those specifications as established by the latest American Water Works Association standards. All products bid have been certified under ANSI/NSF Standard 60.


Deliveries will be made with Kemira trucks and dedicated trucks from Chemical Transfer.  
Chemical Transfer, Stockton, CA, Mike Ellis (800) 874-7444  
Our third party haulers can and will deliver Ferrous Chloride to each and every participating BACC Agency.

I declare under penalty of perjury that the foregoing is true and correct. Executed on this 17 day of February, 2026.

Kemira Water Solutions, Inc.

By:   
Name: Christina Imbrogno  
Title: Commercial Support Manager

This instrument was signed and sworn to before me on 17 day of February, 2026 by Christina Imbrogno as Commercial Support Manager of Kemira Water Solutions, Inc.



Signature of Notary Public  
Print Name: Brittany Ashton Jarvis

Attach Notarial Seal:

My appointment expires:





# KEMIRA PIX-411

## 27 - 36% Ferrous Chloride Solution

### KEMIRA PIX-411

KEMIRA PIX-411 is a coagulant in liquid form based on divalent iron (Fe<sup>2+</sup>). It is primarily used for hydrogen sulfide control to reduce odor and corrosion, for phosphorus removal, control of struvite formation, as a raw material in manufacturing applications, and chloride reduction in potable water treatment.

#### Certification / Approval

KEMIRA PIX-411 is NSF/ANSI Standard 60 certified for use in potable water treatment.

#### Product Typical Properties

Appearance	Clear greenish brown liquid
Specific Gravity	1.23- 1.44
Fe (II)	10.0 – 16.0 wt. %
FeCl <sub>2</sub>	22.6 – 36.4 %
Free Acid (HCl)	≤ 1.0 wt. %
Freezing	-34°C / -29°F

**This TDS is a general representation of the product. Detailed product specification/analysis is available upon request.**

#### Dosing

KEMIRA PIX-411 should be fed straight. No dilution or preparation is required. A diaphragm metering pump of non-corrosive material is suitable.

#### Storage

Storage tanks and piping should be constructed of suitable material such as fiberglass or cross-linked polyethylene. KEMIRA PIX-411 has a recommended shelf life of three (3) months in an appropriate storage environment. With this product the storage tank should be inspected yearly and cleaned if necessary.

#### Handling / Safety

The handling of any chemical requires care. Anyone responsible for using or handling of KEMIRA PIX-411 should familiarize themselves with the full safety precautions outlined in our Safety Data Sheet.

#### Delivery

Shipping Instructions; Corrosive Liquid, n.o.s., 8, UN 1760, II.

Kemira makes this information available as an accommodation to its customers and it is intended to be solely a guide in customer's evaluation of the products. You must test our products, to determine if they are suitable for your intended uses and applications, as well as from the health, safety and environmental standpoint. You must also instruct your employees, agents, contractors, customers or any third party which may be exposed to the products about all applicable precautions. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. You assume full liability and responsibility for compliance with all information and precautions, and with all laws, statutes, ordinances and regulations of any governmental authority applicable to the processing, transportation, delivery, unloading, discharge, storage, handling, sale and use of each product. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. xxxxxx are trademarks or registered trademarks of Kemira Oyj or its subsidiaries.

#### KEMIRA OYJ

P. O Box 330 (Energiakatu 4)  
FI-00101 Helsinki  
Finland

www.kemira.com

**Europe, Middle-East and Africa**  
Tel +358 10 8611

**Asia-Pacific**  
Tel +86 21 6037 5999

**Americas**  
North America  
Tel +1 770 436 1542  
South America  
Tel +55 11 2189 4900

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### SECTION 1. IDENTIFICATION

Product name : **KEMIRA PIX-411**  
Other means of identification : Ferrous Chloride Solution

#### Manufacturer or supplier's details

Company name of supplier : Kemira Water Solutions, Inc.  
Address : 200 Galleria Parkway, Suite 1500  
Atlanta GA 30339-5979  
Telephone : (770) 436-1542  
Telefax : (770) 436-3432  
E-mail address of person responsible for the SDS : us-customerservice@kemira.com  
Emergency telephone number : CHEMTREC (24 Hours): 1-800-424-9300

#### Recommended use of the chemical and restrictions on use

Recommended use : Flocculating agent Water treatment chemical  
Restrictions on use : Do not use for other purposes than the identified uses.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals : Category 1  
Acute toxicity (Oral) : Category 4  
Skin corrosion : Category 2  
Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**  
P234 Keep only in original container.  
P264 Wash skin thoroughly after handling.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

P270 Do not eat, drink or smoke when using this product.  
P280 Wear eye protection and face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P302 + P310 IF ON SKIN: Immediately call a POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical attention.

P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.

P363 Wash contaminated clothing before reuse.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P390 Absorb spillage to prevent material damage.

### Storage:

P406 Store in corrosive resistant container with a resistant inner liner.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

May lower the pH of water and thus be harmful to aquatic organisms.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Ferrous Chloride Solution

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Iron dichloride	7758-94-3	>= 50 - < 80
Hydrochloric acid	7647-01-0	>= 0.1 - <= 1

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : If breathed in, move person into fresh air.  
If symptoms persist, seek medical advice.

In case of skin contact : Take off contaminated clothing and shoes immediately.  
Rinse with plenty of water.  
If symptoms persist, seek medical advice.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

---

If swallowed	: Prevent rinsing water from flowing into the other eye. Call a physician immediately. Continue rinsing eyes during transport to hospital.
Most important symptoms and effects, both acute and delayed	: Rinse mouth with water. Do NOT induce vomiting. If symptoms persist, call a physician. Harmful if swallowed. Causes serious eye damage. Causes skin irritation. Effects are immediate or delayed. Symptoms may include: Central nervous system depression Headache Nausea Dizziness Blistering Irritation Burn Pain Redness Rash
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing
Notes to physician	: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: No special requirements.
Specific hazards during fire-fighting	: Heating above the decomposition temperature can cause formation of hydrogen chloride.  Exposure to decomposition products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Exposure to decomposition products may be a hazard to health. In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

- 
- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Wear respiratory protection.<br>Ensure adequate ventilation.  |
| Environmental precautions   | : | Do not allow uncontrolled discharge of product into the environment.  |
| Methods and materials for containment and cleaning up               | : | Clean-up methods - small spillage<br><br>Dilute residues with water and then neutralize with lime or limestone powder to a solid consistency.<br>Shovel or sweep up.<br>Must be disposed of in accordance with local and national regulations.<br><br>Clean-up methods - large spillage<br><br>Remove spill using a vacuum truck.<br>Dilute residues with water and then neutralize with lime or limestone powder to a solid consistency.<br>Shovel or sweep up remaining material.<br>Must be disposed of in accordance with local and national regulations. |

---

### SECTION 7. HANDLING AND STORAGE

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | Install appropriate equipment and wear appropriate personal protective equipment (see "8. Exposure control/personal protection").   |
| Advice on safe handling     | : | For personal protection see section 8.<br>The work place and work methods shall be organized in such a way that direct contact with the product is prevented or minimized.<br>Keep away from incompatible materials.<br>Contact with certain metals, e.g. aluminium and zinc, may form hydrogen gas, which in turn may form explosive mixtures of gases with air. |
| Conditions for safe storage | : | Keep away from incompatible materials.<br>For quality reasons:<br>Keep at temperatures above 0 °C.<br>Keep at temperatures below 30 °C.   |
| Packaging material          | : | Suitable material: plastic (PE, PP, PVC), fiberglass-reinforced polyester, rubber-coated steel<br>Unsuitable material: Avoid contact with unalloyed steel or galvanized surfaces., many metals, stainless steel (AISI 304), Nylon, materials not resistant to acid, Copper, Aluminium, Iron, Zinc, brass, titanium  |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron dichloride	7758-94-3	TWA	1 mg/m3 (Iron)	ACGIH
		TWA	1 mg/m3 (Iron)	OSHA P0
		TWA	1 mg/m3 (Iron)	NIOSH REL
		TWA	1 mg/m3 (Iron)	ACGIH
		TWA	1 mg/m3 (Iron)	NIOSH REL
		TWA	1 mg/m3 (Iron)	OSHA P0
Hydrochloric acid	7647-01-0	C	2 ppm	ACGIH
		C	5 ppm 7 mg/m3	NIOSH REL
		C	5 ppm 7 mg/m3	OSHA Z-1
		C	5 ppm 7 mg/m3	OSHA P0

**Engineering measures** : Ensure adequate ventilation.

#### Personal protective equipment

**Respiratory protection** : Respiratory protection is not required under normal handling conditions.

**Hand protection**

**Remarks** : Chemical resistant gloves.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Wear eye protection/ face protection.  
Tightly fitting safety goggles or face-shield.

**Skin and body protection** : Wear protective clothing if necessary.  
Use rubber boots.

**Protective measures** : Eye wash bottle or emergency eye-wash fountain must be found in the work place.

Ensure adequate ventilation.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

---

Ensure that eyewash stations and safety showers are close to the workstation location.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Aqueous solution
Colour	: light green/brown
Odour	: slightly acidic
Odour Threshold	: No data available
pH	: < 1
Melting point/freezing point	: -29 °F / -34 °C
Boiling point/boiling range	: ca. 220 - 230 °F / 104 - 110 °C
Flash point	: Not applicable inorganic compound
Evaporation rate	: similar to water
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: similar to water
Relative vapour density	: similar to water
Relative density	: No data available
Density	: 1.23 - 1.44 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)	
Water solubility	: miscible
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: > 212 °F / > 100 °C
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

---

Surface tension : No data available

Particle characteristics  
Assessment : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Corrosive to metals.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Bases cause exothermic reactions.  
Contact with certain metals may form hydrogen gas, which in turn may form explosive mixtures of gases with air.

Conditions to avoid : Stable under normal conditions.  
Incompatible materials : Metals  
Bases  
Alkaline materials  
Oxidizing agents  
Reducing agents  
sulphites  
Sulphides

Hazardous decomposition products : Heating above the decomposition temperature can cause formation of hydrogen chloride.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,516 mg/kg  
Method: Calculation method

#### Components:

##### Iron dichloride:

Acute oral toxicity : LD50 (Rat): 220 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Calculated as Fe

Acute toxicity estimate: 500 mg/kg

Acute inhalation toxicity : No observed adverse effect level: 1.1 mg/l  
Method: EPA OPP 81-3

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

LD50 (Rat): > 881 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

Method: OECD Test Guideline 402  
Remarks: Calculated as Fe

### Hydrochloric acid:

Acute inhalation toxicity : LC50 (Rat): 4701 ppm  
Exposure time: 30 min  
Test atmosphere: gas  
Remarks: gas

LC50 (Rat): 8.3 mg/l  
Exposure time: 30 min  
Test atmosphere: aerosol  
Remarks: aerosol

Acute dermal toxicity : Remarks: No data available

### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Remarks : Causes skin irritation.

#### Components:

##### Iron dichloride:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No irritating effects.

##### Hydrochloric acid:

Species : EPISKIN Human Skin Model Test  
Exposure time : 1 h  
Method : OECD Test Guideline 431  
Result : Corrosive  
GLP : yes

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks : Causes serious eye damage.

#### Components:

##### Iron dichloride:

Species : Rabbit  
Result : Causes serious eye damage.  
Method : OECD Test Guideline 405  
GLP : yes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

---

Remarks : Read-across (Analogy)  
7758-94-3  
dry substance

### Hydrochloric acid:

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
Test substance : yes  
Remarks : 0,1 ml, conc. 10 %

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

### Product:

Remarks : May cause an allergic skin reaction.

### Components:

#### Iron dichloride:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not sensitizing.  
Test substance : ferrous sulfate

#### Hydrochloric acid:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : Not sensitizing.

### Germ cell mutagenicity

Not classified due to lack of data.

### Product:

Genotoxicity in vitro : Remarks: Based on available data, the classification criteria are not met.

### Components:

#### Iron dichloride:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium (bacterium)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

Metabolic activation: with and without  
Method: OECD Test Guideline 471  
Result: negative  
Test substance: ferrous chloride

### Hydrochloric acid:

Genotoxicity in vitro : Test Type: In vitro mitotic recombination  
Test system: Saccharomyces cerevisiae  
Metabolic activation: with and without  
Result: negative

### Carcinogenicity

Not classified due to lack of data.

### Product:

Remarks : Based on available data, the classification criteria are not met.

### Components:

#### Iron dichloride:

Species : Rat  
Application Route : Oral  
Exposure time : 2 years  
NOAEL : > 0.5 %  
Test substance : ferric chloride

#### Hydrochloric acid:

Species : Rat  
Application Route : Inhalation  
: 15 mg/m<sup>3</sup>  
Method : OECD Test Guideline 451

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified due to lack of data.

### Product:

Effects on fertility : Remarks: Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### Components:

#### **Iron dichloride:**

Effects on fertility

: Test Type: Reproductive effects  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: > 500 mg/kg bw/day  
Method: OECD Test Guideline 422

Effects on foetal development

: Species: Rat  
Application Route: Oral  
Teratogenicity: NOAEL: > 1,000 mg/kg bw/day  
Method: OECD Test Guideline 422  
Result: Did not show teratogenic effects in animal experiments.

#### **Hydrochloric acid:**

Effects on fertility

: Remarks: No data available

Effects on foetal development

: Remarks: No data available

#### **STOT - single exposure**

Not classified due to lack of data.

#### Product:

Remarks

: Based on available data, the classification criteria are not met.

### Components:

#### **Hydrochloric acid:**

Assessment

: May cause respiratory irritation.

#### **STOT - repeated exposure**

Not classified due to lack of data.

#### Product:

Remarks

: Based on available data, the classification criteria are not met.

### Components:

#### **Hydrochloric acid:**

Assessment

: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Repeated dose toxicity**

#### Product:

Remarks

: Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Product:

No aspiration toxicity classification

#### Components:

##### Hydrochloric acid:

No aspiration toxicity classification

### Experience with human exposure

#### Product:

Inhalation : Symptoms: Inhalation may provoke the following symptoms:, cough and difficulties in breathing

Skin contact : Symptoms: Skin contact may provoke the following symptoms:, irritation, burns

Eye contact : Symptoms: Causes burns., Contact with eyes causes a smarting pain and a flood of tears.

Ingestion : Symptoms: Ingestion may provoke the following symptoms:, burns in upper digestive organs, May cause irritation of the mucous membranes.

### Further information

#### Product:

Remarks : The product is classified as corrosive due to the low pH.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : Remarks: This material is not classified as dangerous for the environment.  
The compound is considered to have no long term effects in aquatic systems due to the rapid formation of insoluble hydroxides.

#### Components:

##### Iron dichloride:

Toxicity to fish : LC50 (Oryzias latipes (Japanese rice fish)): 47 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

- 
- NOEC (Oncorhynchus kisutch (Coho salmon)): > 1 mg/l  
Exposure time: 90 d  
Test substance: Read-across (Analogy)
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 19 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes
- NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d
- Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 6.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes
- Hydrochloric acid:**
- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 20.5 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
GLP: no  
Remarks: fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.45 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 0.73 mg/l  
Test Type: static test  
Method: OECD Test Guideline 201  
Remarks: Fresh water

### Persistence and degradability

#### Product:

- Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### Components:

##### **Iron dichloride:**

- Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Hydrochloric acid:**

- Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### Bioaccumulative potential

#### Components:

##### Iron dichloride:

Partition coefficient: n-octanol/water : Remarks: Not applicable inorganic compound

##### Hydrochloric acid:

Partition coefficient: n-octanol/water : Remarks: Not applicable inorganic compound

#### Mobility in soil

No data available

#### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : May lower the pH of water and thus be harmful to aquatic organisms.

#### Components:

##### Hydrochloric acid:

Results of PBT and vPvB assessment : This substance is not considered to be a PBT (Persistent, Bioaccumulation, Toxic) This substance is not considered to be vPvB (very Persistent nor very Bioaccumulating)

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in compliance with local and national regulations.

Contaminated packaging : Must be disposed of in accordance with local and national regulations.

## SECTION 14. TRANSPORT INFORMATION

#### International Regulation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### IATA-DGR

UN/ID No. : UN 1760  
Proper shipping name : Corrosive liquid, n.o.s.  
(Ferrous chloride)  
Class : 8  
Packing group : II  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 855

### IMDG-Code

UN number : UN 1760  
Proper shipping name : CORROSIVE LIQUID, N.O.S.  
(Ferrous chloride)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 1760  
Proper shipping name : Corrosive liquids, n.o.s.  
(Ferrous chloride)  
Class : 8  
Packing group : II  
Labels : CORROSIVE  
ERG Code : 154  
Marine pollutant : no

### Special precautions for user

Remarks : Corrosive in contact with metals, Metal containers must be lined.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Iron dichloride	7758-94-3	100	305

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Corrosive to metals  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Iron dichloride	7758-94-3	>= 50 - < 80 %
Hydrochloric acid	7647-01-0	>= 0.1 - < 1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Iron dichloride	7758-94-3	>= 50 - < 80 %
Hydrochloric acid	7647-01-0	>= 0.1 - < 1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### California Prop. 65

WARNING: This product can expose you to chemicals including Benzene, iron bis(arsenate), Nickel dichloride, lead dichloride, which is/are known to the State of California to cause cancer, and

Benzene, mercury dichloride, Nickel dichloride, lead dichloride, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

TSCA : All components of this product are included in the United States TSCA Chemical Inventory with Active Status or are not required to be listed on the United States TSCA Chemical Inventory.

DSL : All components of this product are included in the Canada Domestic Substance List (DSL) or are not required to be listed on the Canada Domestic Substance List (DSL).

AIIC : All components of this product are NOT included on the Australian Inventory of Industrial Chemicals (AIIC).

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

IECSC	: All components of this product are NOT included on the Chinese inventory.
EINECS	: All components of this product are NOT included on the European Inventory of Existing Chemical Substance (EINECS) inventory.
ENCS	: All components of this product are NOT included on the Japanese (ENCS) inventory.
KECI	: All components of this product are NOT included on the Korean (ECL) inventory.
NZIoC	: All components of this product are NOT included on the New Zealand Inventory of Chemical Substances.
PICCS	: All components of this product are NOT included on the Philippine (PICCS) inventory.
TCSI	: All components of this product are NOT included on the Taiwan Chemical Substances Inventory.

### TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	3
FLAMMABILITY		0
PHYSICAL HAZARD		4

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

---

OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / C	:	Ceiling limit
OSHA Z-1 / C	:	Ceiling

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Relevant changes have been marked with vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This SDS is prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the ANSI SDS Standard (Z400.1) by Kemira.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## KEMIRA PIX-411

Version  
1.9

Revision Date:  
05/10/2024

Date of last issue: 05/16/2023  
Date of first issue: 02/11/2015

---

Sources of key data used to compile the Safety Data Sheet : Regulations, databases, literature, own tests.  
Revision Date : 05/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

# The Americas Quality Lab

## Analytical Report

To: Tina Harmon  
[Tina.Harmon@kemira.com](mailto:Tina.Harmon@kemira.com)  
Date Reported: 2/13/2026  
Sample Description: PIX-411 Ferrous Chloride  
Sample Date: 12/21/2025  
Sample ID: 1625 01 0051

Parameter	Result	Unit	Method	Reporting Limit		Analyst	Date
Ferrous	14.89	%	KWS QL 3312	0.05	%	SB	1/22/26
Ferrous Chloride	33.79	%	KWS QL 3312	0.11	%	SB	1/22/26
Free Acid as HCl	<0.05	%	KWS QL 3210	0.05	%	NH	2/13/26
Specific Gravity	1.387		KWS QL 3113			NH	2/10/26
Insoluble Solids	0.053	%	KWS QL 3410	0.005	%	NH	2/10/26
Sulfur as Sulfate	0.022	%	KWS QL 3513	0.001	%	SS	2/5/26

Certified by:   
Sheila St. Amour, Laboratory Supervisor





The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, February 16, 2026** at 12:15 a.m. Eastern Time. Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=kemira+water&TradeName=pix%2D411&>

### NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

#### Kemira Water Solutions, Inc.

200 Galleria Pkwy

Suite 1500

Atlanta, GA 30339

United States

888-KEMIRON

863-533-5990

Visit this company's website (<http://www.kemira.com>)

#### Facility : #2 LW Canada

##### Ferrous Chloride

##### Trade Designation

KEMIRA PIX-411

##### Product Function

Coagulation & Flocculation

##### Max Use

300mg/L

#### Facility : # 4 A USA

##### Ferrous Chloride

##### Trade Designation

KEMIRA PIX-411

##### Product Function

Dechlorination

##### Max Use

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility :** Distribution Center - Buckeye, AZ

**Ferrous Chloride**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
KEMIRA PIX-411	Coagulation & Flocculation	250mg/L
KEMIRA PIX-411	Coagulation & Flocculation	300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility :** Fontana, CA

**Ferrous Chloride**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
KEMIRA PIX-411	Coagulation & Flocculation	300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility :** Mojave, CA

**Ferrous Chloride**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
KEMIRA PIX-411	Coagulation & Flocculation	300mg/L
KEMIRA PIX-411H	Coagulation & Flocculation	300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility :** East Chicago, IN

**Ferrous Chloride**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
KEMIRA PIX-411	Coagulation & Flocculation	300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility : Baltimore, MD**

**Ferrous Chloride**

**Trade Designation**

KEMIRA PIX-411

**Product Function**

Coagulation & Flocculation

**Max Use**

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility : Distribution Center - Euclid, OH**

**Ferrous Chloride**

**Trade Designation**

KEMIRA PIX-411

**Product Function**

Coagulation & Flocculation

**Max Use**

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility : Distribution Center - El Paso, TX**

**Ferrous Chloride**

**Trade Designation**

KEMIRA PIX-411

**Product Function**

Coagulation & Flocculation

**Max Use**

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility : Kalama, WA**

**Ferrous Chloride**

**Trade Designation**

KEMIRA PIX-411

**Product Function**

Coagulation & Flocculation

**Max Use**

300 mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

**Facility :** Varennes, Quebec, Canada

**Ferrous Chloride**

***Trade Designation***

KEMIRA PIX-411

***Product Function***

Coagulation & Flocculation

***Max Use***

300mg/L

NOTE: Four digit alpha suffix in Certified trade names on product labels and/or literature may be used to designate container size.

---

Number of matching Manufacturers is 1

Number of matching Products is 13

Processing time was 0 seconds